


VAPOR PROOF LENSES

Series F40



Series F40



Series F40

VAPOR PROOF LENSES FOR
COMMERCIAL AND
INSTITUTIONAL APPLICATIONS

MATERIALS:
CLEAR ACRYLIC
HI-IMPACT CLEAR ACRYLIC
WHITE ACRYLIC
AND CLEAR POLYCARBONATE

PLEASE INQUIRE FOR
FURTHER MATERIAL OPTIONS

Description

These vapor proof lenses provide light source protection against weather, moisture, chemicals and other elements. The Series F40 lenses are made from acrylic, Hi-Impact acrylic and polycarbonate. Available in 48" and 96" lengths.

Lamp Data

Series F40 designs are capable of being used with linear fluorescent lamps.

Ordering Information

Please call 877-257-5841 for price and delivery. Specify size and mounting holes when placing an order. Typical lead time is four to six weeks.


Notice

A.L.P. Lighting Components assumes no responsibility for suitability of luminaires and applications. The use of lenses at excessive temperatures with high UV output light sources will cause degradation of the material.

Series F40

Series F40

Size	Drop Size	Depth
48"	5" x 49"	2-3/16"
96"	5" x 97"	2-3/16"
48"	6-5/8" x 48-3/4"	3"
96"	6-5/8" x 96-3/4"	3"
48"	6-13/16" x 49-5/16"	3-1/4"
96"	6-13/16" x 97-5/16"	3-1/4"



This drawing is for reference only. Actual part dimensions will vary. Customer is urged to review actual samples to confirm fit and function. All specifications and dimensions are subject to change without notice.

Materials

The following materials are used in the production of sheet, profiles, formed and molded parts by A.L.P. Plastics. Please be aware that A.L.P. Plastics does not provide material certifications unless requested by the customer prior to quoting. Our standard manufacturing practice includes the use of reclaimed materials exceeding 25%.

White acrylic: Pigment: Ferco CP51 based material 3-5% max. with any of the following acrylic materials.

Fluorescent Grade Acrylic:

Altuglas Intl. - UL file #E39437, Materials: V-045, V-825 and V-052.
 Lucite International - UL file #E65769, Materials: CP-81, MS-983.
 Cyro Industries - UL file #E54671, Materials: H-12 and H-15.
 Plaskolite West Inc. - UL file #E167330, Material: CA-81.

Hi-Impact Acrylic:

Altuglas Intl. - UL file #E39437, Materials: V-045 blended with DR-101.

Lucite International - UL file #E65769, Materials: CP-81, MS-983 with CP-1000E.
 Cyro Industries - UL file #E54671, Materials: H15 with ZK-6.
 Plaskolite West Inc. - UL file #E167330, Materials: CA-81 with CA-1000E.

Impact Acrylic:

Altuglas Intl. - UL file #E39437, Materials: V-045 blended with DR-101.
 Lucite International - UL file #E65769, Materials: CP-81, MS-983 with CP-1000E.
 Cyro Industries - UL file #E54671, Materials: H15 with ZK-6.
 Plaskolite West Inc. - UL file #E167330, Materials: CA-81 with CA-1000E.

Polycarbonate:

General Electric Co.- UL file #E121562, Materials: Lexan ML-7135, 223 and 243.
 General Electric Co.- UL file #E61257, Material: Lexan 9034 (Sheet).
 Bayer Corp. - Plastics - UL file #E33640, Materials: Makrolon 1804 and HF1130.
 Mitsubishi - UL file #E41179 lupolon E2000V.

Please visit our web site for the most current material specifications.